



**RETAIL FOOD ESTABLISHMENT
INSPECTION REPORT**

State Form 48669 (R2/2-05)
SDH Form 51-0001

**GRANT COUNTY HEALTH DEPT.
FOOD DIVISION
401 SOUTH ADAMS STREET
MARION, IN 46953**

Based on an inspection this day, the item(s) noted below identify violations of 410 IAC 7-24, Indiana Retail Food Establishment Sanitation Requirements. The time limit for correction of each violation is specified in the narrative portion of this report.

Establishment Name BURGER KING # 826	Telephone Number (765) 664-1556	Date of Inspection 1-22-19	ID # 27
Establishment Address (number and street, city, state, ZIP code) 1510 KEM ROAD MARION, IN	() Owner	Follow-up YES	Release Date 2-1-19
Owner CARROL'S LLC	Purpose: 1. Routine	Summary of Violations: C 1 NC 6 R 1	
Owner's Address 968 JAMES ST. SYRACUSE NY	2. Follow-up	Menu Type (See back of page) 1 2 X 3 4 5	
Person in Charge BRANDON BLADES	3. Complaint		
Responsible Person's E-mail NA	4. Pre-Operational		
Certified Food Handler BRANDON BLADES EXP. 11-2019	5. Temporary		
	6. HACCP		
	7. Other (list) Follow-up 10 DAYS		

- CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"
- VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE BELOW AS "R"

Section#	C/NC	R	Narrative	To Be Corrected By
298	NC		THE INTERIOR OF MICROWAVE IS HEAVILY SOILED WITH OLD DRIED FOOD DEBRIS TO INCLUDE OUTSIDE / HANDLE	TODAY
430	NC		THE FLOOR COVING BESIDE 3-BAY SINK AND HANDSINK IS MISSING EXPOSING WOOD	TODAY
431	NC	X	THE FLOOR THROUGHOUT KITCHEN AND PREP ROOM, UNDER EQUIPMENT SOILED WITH A DARK RESIDUE. PREVIOUS VIOLATIONS 3-18, 8-18 ALSO WALL BEHIND 3-BAY SINK BEHIND GREEN HANGING RACK IS HEAVILY SOILED WITH A DARK RESIDUE, NORTH WALL BEHIND FLOOR COOLER / PREP TABLE	TODAY
295	NC		THE FOLLOWING "NON-FOOD" CONTACT SURFACES SOILED WITH OLD DRIED FOOD DEBRIS. 1) KETCHUP / MUSTARD HOLDERS / WALL 2) PREP TABLES / COOLERS, ECT. NORTH WALL 3) WARMING UNIT HANDLES PRE-WRAPPED PRODUCT 4) TOP OF DEEP FRYER, HOOD SYSTEMS	TODAY

Received by (name and title printed): X BRANDON BLADES	Inspected by (name and title printed): R Dale Carr - FSD
Received by (signature): X [Signature]	Inspected by (signature): [Signature] - FSD
cc:	cc:

NARRATIVE REPORT

Establishment Name Burger King # 826		Address 1510 KEM ROAD - MARION		Inspection Date 01-22-19
Section#	C/NC	R	REMARKS	TO BE CORRECTED BY
192	C		Ham TEMPERED AT 58°F @ 9:46 AM, PER EMPLOYEE ON A 4hr. time AS A CONTROL MEASURE, SHOULD HAVE BEEN DISCARDED AT 9:30 AM	DISCARDED BY MANAGER
324	NC		THE FAUCET UNDER AND BESIDE 3-BAY SINK IS BROKEN (BACKFLOW, NO HANDLES) NEEDS FIXED REPLACED, REMOVED ALSO AT mop SINK USING A cloth to BLOCK A LEAK, NEEDS FIXED, REPLACED.	TODAY
138	NC		3 EMPLOYEES PREPARING FOOD WITHOUT EFFECTIVE HAIR RESTRAINTS / BEARD GUARDS 1- NO HAIR RESTRAINT 2- NO BEARD GUARDS PRIOR violation 3-26-18	TODAY
* Follow-up AFTER 2-1-19 *				
<div style="border: 2px solid black; border-radius: 50%; width: 150px; height: 150px; margin: auto; display: flex; align-items: center; justify-content: center;"> 2/6/19 M. </div>				
Received By (Name & Title) J. BRADY			Inspected By (Name & Title) [Signature] (GM) - (EAT)	