



**RETAIL FOOD ESTABLISHMENT  
INSPECTION REPORT**

State Form 48669 (R2/2-05)  
SDH Form 51-0001

**GRANT COUNTY HEALTH DEPT.  
FOOD DIVISION  
401 SOUTH ADAMS STREET  
MARION, IN 46953**

Based on an inspection this day, the item(s) noted below identify violations of 410 IAC 7-24, Indiana Retail Food Establishment Sanitation Requirements. The time limit for correction of each violation is specified in the narrative portion of this report.

Establishment Name <b>G M Marion Metal Plant</b>		Telephone Number <b>765 Establishment</b>	Date of Inspection <b>(mm/dd/yr)</b> <b>6-17-21</b>	ID # <b>27</b>
Establishment Address (number and street, city, state, ZIP code) <b>2400 W 2<sup>ND</sup> ST MARION</b>		<b>(716) Owner</b> <b>716-9293</b>		
Owner <b>Company Kitchen</b>	Purpose: <b>1. Routine</b>	Follow-up <b>NO</b>	Release Date <b>10 days</b>	
Owner's Address <b>2120 S Meridian St INPX</b>	<b>2. Follow-up</b>	Summary of Violations: <b>C - NC 5 R -</b>		
Person in Charge <b>Nathan OGG</b>	<b>3. Complaint</b>			
Responsible Person's E-mail <b>_____ Brian Plunkett</b>	<b>4. Pre-Operational</b>	Menu Type (See back of page)		
Certified Food Handler <b>N/A</b>	<b>5. Temporary</b>	<b>1</b> <u>2</u> <b>X</b> <b>3</b> <b>4</b> <b>5</b>		
	<b>6. HACCP</b>			
	<b>7. Other (list)</b>			

• CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"

• VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE BELOW AS "R"

Section#	C/NC	R	Narrative	To Be Corrected By
			<b>-ECC-</b>	<b>Today</b>
<b>298</b>	<b>NC</b>		<b>microwave ON 2<sup>ND</sup> SHELF IS SOILED WITH DRIED FOOD DEBRIS</b>	}
			<b>-N-</b>	
<b>295</b>	<b>NC</b>		<b>3<sup>RD</sup> COOLER FROM LEFT HAS ICE BUILD UP ON TOP INSIDE AROUND FAN</b>	
<b>295</b>	<b>NC</b>		<b>COFFEE DISPENSING UNIT IN THIS AREA IS SOILED WITH A BROWN RESIDUE</b>	
			<b>-N/W-</b>	
			<b>NO VIOLATIONS</b>	
			<b>m-29</b>	
			<b>NO VIOLATIONS</b>	
			<b>-N-13-</b>	
<b>298</b>	<b>NC</b>		<b>microwave ON 2<sup>ND</sup> SHELF IS SOILED WITH DEBRIS AND NEEDS REPLACED</b>	}
			<b>2<sup>ND</sup> FLOOR</b>	
<b>298</b>	<b>NC</b>		<b>MICROWAVE IS SOILED WITH FOOD DEBRIS UNDER GLASS PLATE W THE MIDDLE</b>	

Received by (name and title printed): <b>Nathan Ogg HR/LR Director</b>	Inspected by (name and title printed): <b>Scott K. Lenzell / Brian Spigel</b>
Received by (signature): 	Inspected by (signature): 
cc:	cc: