



**RETAIL FOOD ESTABLISHMENT
INSPECTION REPORT**

State Form 48669 (R2/2-05)
SDH Form 51-0001

**GRANT COUNTY HEALTH DEPT.
FOOD DIVISION
401 SOUTH ADAMS STREET
MARION, IN 46953**

Based on an inspection this day, the item(s) noted below identify violations of 410 IAC 7-24, Indiana Retail Food Establishment Sanitation Requirements. The time limit for correction of each violation is specified in the narrative portion of this report.

Establishment Name Kentucky Fried Chicken	Telephone Number 765 662 2217	Date of Inspection 8/19/19	ID # 27
Establishment Address (number and street, city, state, ZIP code) 1301 W 16th St. Marion IN	() Owner	Follow-up YES	Release Date 8/29/19
Owner ROBT LISTENBERGER	Purpose: 1. Routine 2. Follow-up	Summary of Violations: C 3 NC 1 R 4	
Owner's Address 18077 RIVER RD Plymouth IN	3. Complaint	Menu Type (See back of page)	
Person in Charge Rhonda BAUGH	4. Pre-Operational	1 2 3 X 4 5	
Responsible Person's E-mail NIA	5. Temporary		
Certified Food Handler Rhonda BAUGH	6. HACCP		
	7. Other (list)		

- CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"
- VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE BELOW AS "R"

Section#	C/NC	R	Narrative	To Be Corrected By
			Follow-up inspection from 7-2-19 inspection	
307	NC	X	THE HOOD SYSTEM ABOVE BROSTERS 800 SERIES & HENRY PENNY IS MISSING A HOOD VENT PRIOR VIOLATIONS 7-19-18, 7-2-19	TODAY
431	NC	X	FLOOR THROUGHOUT KITCHEN PREP AREAS DISWASHING, WALK-IN COOLERS / FREEZERS ARE HEAVILY SOILED WITH FOOD DEBRIS GREASE, AND OTHER DEBRIS, PRIOR VIOLATIONS 7-19-18, 7-2-19 TO INCLUDE UNDER ALL EQUIPMENT CIP AND MOVABLE	TODAY
218	NC		THE WALL BEHIND THE MOP SINK USED IN THE CHICKEN PREP AREA IS BROKEN NEED FIXED / REPLACED	10 DAYS
345	C		THE HANDSINK IN FRONT/NEXT TO WALK-IN COOLER IS SOILED WITH FOOD DEBRIS.	TODAY

Received by (name and title printed): Rhonda Baugh RGM	Inspected by (name and title printed): R. Decker FSD
Received by (signature): <i>[Signature]</i>	Inspected by (signature): <i>[Signature]</i>
cc:	cc:

NARRATIVE REPORT

Establishment Name		Address	Inspection Date	
Kentucky Fried Chicken		1301 W 16 th St. MARION	8/19/19	
Section#	C/NC	R	REMARKS	TO BE CORRECTED BY
297	NC		Mangle DISPENSING SODA AT DRIVE THRU SOILED WITH A BROWNISH RESIDUE	TODAY
417	NC		PERSONAL SET OF KEYS IN A CONTAINER ON A RACK WITH A LID AND TAG CHOC CHIP COOKIES ALSO ON A PREP TABLE IN FRONT OF WALK-N-COOLER	TODAY
295	NC		THE FOLLOWING "NON-FOOD" CONTACT SURFACES SOILED WITH FOOD DEBRIS.	TODAY
			1) ALL HANDLES OF DOORS FOR REFRIGERATORS FREEZERS, WARMERS, include WALKIN COOLER freezer	TODAY
			2) PANS ON RACKS IN PREP AREAS TO INCLUDE LIDS	}
			3) UNDER PREP TABLES	
		X	4) ALL RACKS IN ALL PREP AREAS	
			5) ON BOXES ON RACKS	
			6) WHITE CAP BAKERY FOOD GRADE RELEASE SPRAY 2 CANS HEAVILY SOILED	
			7) UNDER DEEP FRYERS BEHIND DOOR OF DEEP FRYERS	
			8) WHITE TRASH CANS / SOAP DISPENSER	
295	C		THE CAN OPENER BLADE / BASE SOILED WITH FOOD DEBRIS	TODAY
		X	2) PANS STORED AS CLEAN HAS FOOD DEBRIS	
413	NC		THE BACK DOOR IS NOT CLOSED THUS THIS FACILITY IS NOT PROTECTED AGAINST ENTRY OF RODENTS / INSECTS.	TODAY
415	C		FLYS TOO MANY TO COUNT IN CHICKEN PREP AREA.	TODAY
411	NC		2-SETS OF LIGHTS IN KITCHEN CHICKEN PREP AREA ARE NOT SHIELDED	TODAY
			1-SET OF LIGHTS SHIELD IS FALLING DOWN	
310	NC		THE HVAC IN BACK OF FACILITY HAS LINT AND OTHER DEBRIS TO INCLUDE DARK RESIDUE, IN MIDDLE THE HVAC HAS DARK RESIDUE	TODAY
272	NC		THE SANITIZED BAY OF 3-BAY SINK IS SOILED WITH FOOD AND DEBRIS IN SINK AND ON PANS ECT.	
Received By (Name & Title)		Inspected By (Name & Title)		Page 2 of 2
X <i>[Signature]</i>		Rogge (M-FSD)		